INDEX TO VOLUME 10

INDEX TO AUTHORS

B

BANGHAM, D. R.: Metabolism and excretion of ^{14}C-labelled diethylcarbamazine, 397
— Mode of action of diethylcarbamazine investigated with ^{14}C-labelled drug, 406
BARLOW, R. B.: Series of polymethylenebisacetoxyethyldimethylammonium salts, 168
— Blaschko, H., Himms, J. M., and Trendelenburg, U.: Observations on Ω-aminopolymethylenetrimethylammonium compounds, 116
— and Himms, J. M.: Anticholinesterase activity of polymethylenebisquinolinium salts, 173
BARNES, J. M.: *see* Stoner, H. B., Barnes, J. M., and Duff, J. I.
BATES, C. M.: *see* Martin, L. E., Bates, C. M., Beresford, C. R., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D.
BENTLEY, P., and Dicker, S. E.: Effects of transient changes of acidity on the isolated rat's uterus, with reference to the assay of oxytocic activity, 424
BERESFORD, C. R.: *see* Martin, L. E., Bates, C. M., Beresford, C. R., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D.
BERETERVIDE, K. V.: Actions of succinylcholine chloride on the circulation, 265
BERNHARD, C. G., and Bohm, E.: Action of local anaesthetics on experimental epilepsy in cats and monkeys, 288
BLACKMORE, E. K.: *see* Schnieden, H., and Blackmore, E. K.
BLASCHKO, H., Chatterjee, M. L., and Himms, J. M.: Enzymic oxidation of derivatives of ethylenediamine, 314
— and Himms, J. M.: Inhibition of amine oxidase and spermine oxidase by amidines, 451
— — and Strömblad, B. C. R.: Enzymic hydrolysis of cocaine and *alpha*-cocaine, 442
— *see* Barlow, R. B., Blaschko, H., Himms, J. M., and Trendelenburg, U.
BOHM, E.: *see* Bernhard, C. G., and Bohm, E.
BROADBENT, J. L.: Observations on histamine-induced pruritus and pain, 183
BURNS, B. D., Frank, G. B., and Salmoiraghi, G.: Mechanism of after-discharges caused by veratrine in frog's skeletal muscles, 363
BUSHBY, S. R. M., and Green, A. F.: Release of histamine by polymyxin B and polymyxin E, 215

C

CAMBRIDGE, G. W., and Holgate, J. A.: Superfusion as a method for the study of drug antagonism, 326
CHAKRAVARTI, R. N.: *see* Gupta, S. K., and Chakravarti, R. N.
CHATTERJEE, M. L.: *see* Blaschko, H., Chatterjee, M. L., and Himms, J. M.
CHILDS, A. F., Davies, D. R., Green, A. L., and Rutland, J. P.: Reactivation by oximes and hydroxamic acids of cholinesterase inhibited by organo-phosphorus compounds, 462
CHUN YU LIN, R.: Presence of acetylcholine in the Malayan jack-fruit, *Artocarpus integra*, 247
CLARK, E. E.: *see* Humm, D. G., Roeder, M., Landew, M., and Clark, E. E.
CLARKE, P. M.: Nomograms for multiple slope-ratio assays arranged in blocks, and improved nomograms for assays without blocks, 296
COLLIER, H. O. J., Potter, M. D., and Taylor, E. P.: Antifungal activities of bis*iso*quinolinium and bisquinolinium salts, 343
CORNFORTH, J. W., Hart, P. D'A., Nicholls, G. A., Rees, R. J. W., and Stock, J. A.: Antituberculous effects of certain surface-active polyoxyethylene ethers, 73
COULTHARD, C. E., and Hale, L. J.: Treatment of experimental bacillary infections of mice with quinoxaline 1 : 4-di-*N*-oxide, 394
CRAIG, A. W., and Jackson, H.: Metabolism of ^{32}P-labelled triethylenephosphoramide in relation to its anti-tumour activity, 321
CULLUMBINE, H.: *see* Dirnhuber, P., and Cullumbine, H.
CUTLER, A. A.: *see* Mackie, A., Stewart, G. M., Cutler, A. A., and Misra, A. L.
CYMERMAN-CRAIG, J.: *see* Rogers, W. P., Cymerman-Craig, J., and Warwick, G. P.

D

DALLEMAGNE, M. J., and Philippot, E.: Action of proguanil and its metabolite on neuromuscular and synaptic transmission, 147
DAVIES, D. R.: *see* Childs, A. F., Davies, D. R., Green, A. L., and Rutland, J. P.

INDEX TO VOLUME 10

INDEX TO AUTHORS

B

BANGHAM, D. R.: Metabolism and excretion of ^{14}C-labelled diethylcarbamazine, 397
— Mode of action of diethylcarbamazine investigated with ^{14}C-labelled drug, 406
BARLOW, R. B.: Series of polymethylenebisacetoxyethyldimethylammonium salts, 168
— Blaschko, H., Himms, J. M., and Trendelenburg, U.: Observations on Ω-aminopolymethylenetrimethylammonium compounds, 116
— and Himms, J. M.: Anticholinesterase activity of polymethylenebisquinolinium salts, 173
BARNES, J. M.: *see* Stoner, H. B., Barnes, J. M., and Duff, J. I.
BATES, C. M.: *see* Martin, L. E., Bates, C. M., Beresford, C. R., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D.
BENTLEY, P., and Dicker, S. E.: Effects of transient changes of acidity on the isolated rat's uterus, with reference to the assay of oxytocic activity, 424
BERESFORD, C. R.: *see* Martin, L. E., Bates, C. M., Beresford, C. R., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D.
BERETERVIDE, K. V.: Actions of succinylcholine chloride on the circulation, 265
BERNHARD, C. G., and Bohm, E.: Action of local anaesthetics on experimental epilepsy in cats and monkeys, 288
BLACKMORE, E. K.: *see* Schnieden, H., and Blackmore, E. K.
BLASCHKO, H., Chatterjee, M. L., and Himms, J. M.: Enzymic oxidation of derivatives of ethylenediamine, 314
— and Himms, J. M.: Inhibition of amine oxidase and spermine oxidase by amidines, 451
— — and Strömblad, B. C. R.: Enzymic hydrolysis of cocaine and *alpha*-cocaine, 442
— *see* Barlow, R. B., Blaschko, H., Himms, J. M., and Trendelenburg, U.
BOHM, E.: *see* Bernhard, C. G., and Bohm, E.
BROADBENT, J. L.: Observations on histamine-induced pruritus and pain, 183
BURNS, B. D., Frank, G. B., and Salmoiraghi, G.: Mechanism of after-discharges caused by veratrine in frog's skeletal muscles, 363
BUSHBY, S. R. M., and Green, A. F.: Release of histamine by polymyxin B and polymyxin E, 215

C

CAMBRIDGE, G. W., and Holgate, J. A.: Superfusion as a method for the study of drug antagonism, 326
CHAKRAVARTI, R. N.: *see* Gupta, S. K., and Chakravarti, R. N.
CHATTERJEE, M. L.: *see* Blaschko, H., Chatterjee, M. L., and Himms, J. M.
CHILDS, A. F., Davies, D. R., Green, A. L., and Rutland, J. P.: Reactivation by oximes and hydroxamic acids of cholinesterase inhibited by organo-phosphorus compounds, 462
CHUN YU LIN, R.: Presence of acetylcholine in the Malayan jack-fruit, *Artocarpus integra*, 247
CLARK, E. E.: *see* Humm, D. G., Roeder, M., Landew, M., and Clark, E. E.
CLARKE, P. M.: Nomograms for multiple slope-ratio assays arranged in blocks, and improved nomograms for assays without blocks, 296
COLLIER, H. O. J., Potter, M. D., and Taylor, E. P.: Antifungal activities of bis*iso*quinolinium and bisquinolinium salts, 343
CORNFORTH, J. W., Hart, P. D'A., Nicholls, G. A., Rees, R. J. W., and Stock, J. A.: Antituberculous effects of certain surface-active polyoxyethylene ethers, 73
COULTHARD, C. E., and Hale, L. J.: Treatment of experimental bacillary infections of mice with quinoxaline 1 : 4-di-*N*-oxide, 394
CRAIG, A. W., and Jackson, H.: Metabolism of ^{32}P-labelled triethylenephosphoramide in relation to its anti-tumour activity, 321
CULLUMBINE, H.: *see* Dirnhuber, P., and Cullumbine, H.
CUTLER, A. A.: *see* Mackie, A., Stewart, G. M., Cutler, A. A., and Misra, A. L.
CYMERMAN-CRAIG, J.: *see* Rogers, W. P., Cymerman-Craig, J., and Warwick, G. P.

D

DALLEMAGNE, M. J., and Philippot, E.: Action of proguanil and its metabolite on neuromuscular and synaptic transmission, 147
DAVIES, D. R.: *see* Childs, A. F., Davies, D. R., Green, A. L., and Rutland, J. P.

DICKER, S. E.: *see* Bentley, P., and Dicker, S. E.
DICKINSON, L.: Formaldehyde derivatives of amino acids and the mode of action of a formaldehyde–tyrosine derivative against influenza A virus *in ovo*, 56
DIRNHUBER, P., and Cullumbine, H.: Effect of anti-cholinesterase agents on rat's blood pressure, 12
DONALDSON, J. D.: *see* Martin, L. E., Bates, C. M., Beresford, C. R., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D.
DUFF, J. I.: *see* Stoner, H. B., Barnes, J. M., and Duff, J. I.
DUFFIN, W. M., and Green, A. F.: Pharmacological properties of the optical isomers of benzhexol, procyclidine, tricyclamol, and related compounds, 383
DUNLOP, D.: *see* Martin, L. E., Bates, C. M., Beresford, C. R., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D.
DUTTA, N. K., and Habbu, M. K.: Experimental cholera in infant rabbits: a method for chemotherapeutic investigation, 153

E

EVANS, B. M.: *see* Macpherson, C. R., Milne, M. D., and Evans, B. M.
EXLEY, K. A., and Hey, P.: Phase-boundary potentials and ganglion-stimulant activity, 220

F

FELDBERG, W., and Lecomte, J.: Release of histamine by a substituted butylamine (L 1935): comparison with compound 48/80, 254
— and Sherwood, S. L.: Injections of bulbocapnine into the cerebral ventricles of cats, 371
FOSTER, R., Ing, H. R., and Varagić, V.: *alpha*-Cocaine, 436
FRANK, G. D.: *see* Burns, B. D., Frank, G. D., and Salmoiraghi, G.
FRASER, R., Hanno, M. G. W., and Pitney, W. R.: Mode of action of antithyroid drugs: further observations on *in vitro* inhibition of oxidative protein iodination, 1

G

GADDUM, J. H., and Paasonen, M. K.: Use of some molluscan hearts for the estimation of 5-hydroxytryptamine, 474
GALAL, E. E.: Effects of glycyrrhetinic acid on salt and water metabolism, 305
GARRETT, W. J.: Effects of adrenaline, noradrenaline and dihydroergotamine on excised human myometrium, 39
GEORGE, R., and Leong Way, E.: Studies on the mechanism of pituitary-adrenal activation by morphine, 260
GERTNER, S. B.: Effect of compound 48/80 on ganglionic transmission, 103
GLASER, E. M., and Newling, P. S. B.: Side effects of chlorpromazine hydrochloride, 429
GOMES, F. P.: Slow contracting substance in normal human urine, 200
GRASSET, E., and Schwartz, D. E.: *In vivo* and *in vitro* comparative assays of the anticoagulant activity of dextran sulphate and heparin, 317
GREEN, A. E., and Ward, N. B.: Action of analgesics and nalorphine on the cough reflex, 418
— *see* Bushby, S. R. M., and Green, A. F.
— *see* Duffin, W. M., and Green, A. F.
GREEN, A. L.: *see* Childs, A. F., Davies, D. R., Green, A. L., and Rutland, J. P.
GUPTA, S. K., and Chakravarti, R. N.: Therapeutic activity of some sulphones and sulphoxides in experimental tuberculosis of guinea-pigs, 113

H

HABBU, M. K.: *see* Dutta, N. K., and Habbu, M. K.
HAINING, C. G.: Histamine release in rabbit blood by dextran and dextran sulphate, 87
HALE, L. J.: *see* Coulthard, C. E., and Hale, L. J.
HALPERN, B. N., Musso, E., and Neveu, Th.: Action of the histamine-releaser polyvinylpyrrolidone on capillary permeability in dogs, 223
HANNO, M. G. W.: *see* Fraser, R., Hanno, M. G. W., and Pitney, W. R.
HART, P. D'A.: *see* Cornforth, J. W., Hart, P. D'A., Nicholls, G. A., Rees, R. J. W., and Stock, J. A.
HAWKING, F., and Thurston, J. P.: Action of antrycide upon trypanosomes *in vitro*, 454
HAWKINS, D. F.: Bronchoconstrictor and bronchodilator actions of antihistamine drugs, 230
HERXHEIMER, H.: Protection against anaphylactic shock by various substances, 160
HEY, P.: *see* Exley, K. A., and Hey, P.
HIMMS, J. M.: *see* Barlow, R. B., Blaschko, H., Himms, J. M., and Trendelenburg, U.
— *see* Barlow, R. B., and Himms, J. M.
— *see* Blaschko, H., Chatterjee, M. L., and Himms, J. M.
— *see* Blaschko, H., and Himms, J. M.
— *see* Blaschko, H., Himms, J. M., and Strömblad, B. C. R.
HOBBIGER, F.: Effect of nicotinhydroxamic acid methiodide on human plasma cholinesterase inhibited by organophosphates containing a dialkylphosphato group, 356
HOLGATE, J. A.: *see* Cambridge, G. W., and Holgate, J. A.
HOLMES, R., and Robins, E. L.: Reversal by oximes of neuromuscular block produced by anticholinesterases, 490
HOLZBAUER, M., and Vogt, M.: Modification by drugs of the response of the rat's uterus to adrenaline, 186
HUGHES, B.: Isolated heart of *Mya arenaria* as a sensitive preparation for the assay of acetylcholine, 36
HUMM, D. G., Roeder, M., Landew, M., and Clark, E. E.: Possible mechanism of adrenaline stabilization in the adrenal gland, 163

I

ING, H. R.: *see* Foster, R., Ing, H. R., and Varagić, V.

J

JACKSON, H.: *see* Craig, A. W., and Jackson, H.

K

KIANG, A. K.: *see* Toh, C. C., Lee, T. S., and Kiang, A. K.
KOTTEGODA, S. R., and Mott, J. C.: Cardiovascular and respiratory actions of 5-hydroxytryptamine in the cat, 66

L

LANDEW, M.: *see* Humm, D. G., Roeder, M., Landew, M., and Clark, E. E.
LECOMTE, J.: *see* Feldberg, W., and Lecomte, J.

LEE, T. S.: *see* Toh, C. C., Lee, T. S., and Kiang, A. K.
LEONG WAY, E.: *see* George, R., and Leong Way, E.
LONDON, E.: *see* Martin, L. E., Bates, C. M., Beresford, C. R., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D.

M

MCDONALD, F. F.: *see* Martin, L. E., Bates, C. M., Beresford, C. R., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D.
MACKIE, A., Stewart, G. M., Cutler, A. A., and Misra, A. L.: *In vitro* tests of chemical compounds on *Ascaris lumbricoides* and *Fasciola hepatica*, 7
MACPHERSON, C. R., Milne, M. D., and Evans, B. M.: Excretion of salicylate, 484
MARSHALL, P. B.: Antagonism of acetylcholine by (+)- and (−)-hyoscyamine, 354
— Some chemical and physical properties associated with histamine antagonism, 270
MARTIN, L. E., Bates, C. M., Beresford, C. R., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D.: Pharmacology of an iron–dextran intramuscular haematinic, 375
MASON, D. F. J., and Wien, R.: Actions of heterocyclic bisquaternary compounds, especially of a pyrrolidinium series, 124
MILNE, M. D.: *see* Macpherson, C. R., Milne, M. D., and Evans, B. M.
MISRA, A. L.: *see* Mackie, A., Stewart, G. M., Cutler, A. A., and Misra, A. L.
MOHANTY, J. K.: Development of tolerance and cross-tolerance to methonium compounds in laboratory animals, 279
MONGAR, J. L.: Study of two methods for testing local anaesthetics in man, 240
MOTT, J. C.: *see* Kottegoda, S. R., and Mott, J. C.
MUSSO, E.: *see* Halpern, B. N., Musso, E., and Neveu, Th.

N

NAGUIB, M., and Robson, J. M.: Effect of cortisone alone and in combination with isoniazid in experimental corneal tuberculosis in mice, 387
NASMYTH, P. A.: Effect of chlorpromazine on adrenocortical activity in stress, 336
— Histamine release and the "stress" phenomenon, 51
NEAL, R. A., and Vincent, P.: Amoebicidal activity of 2-diethanolamino-5-nitropyridine, 434
NEVEU, Th.: *see* Halpern, B. N., Musso, E., and Neveu, Th.
NEWLING, P. S. B.: *see* Glaser, E. M., and Newling, P. S. B.
NICHOLLS, G. A.: *see* Cornforth, J. W., Hart, P. D'A., Nicholls, G. A., Rees, R. J. W., and Stock, J. A.

P

PAASONEN, M. K.: *see* Gaddum, J. H., and Paasonen, M. K.
PARKES, M. W.: Spasmolytic properties of thiobenzilic acid esters and related compounds, 95
PHILIPPOT, E.: *see* Dallemagne, M. J., and Philippot, E.
PITNEY, W. R.: *see* Fraser, R., Hanno, M. G. W., and Pitney, W. R.
POTTER, M. D.: *see* Collier, H. O. J., Potter, M. D., and Taylor, E. P.

Q

QUILLIAM, J. P.: Action of hypnotic drugs on frog skeletal muscle, 133
— Action of thiopentone sodium on skeletal muscle, 141

R

RAISON, C. G., and Standen, O. D.: Schistosomicidal activity of symmetrical diaminodiphenoxyalkanes, 191
REES, R. J. W.: *see* Cornforth, J. W., Hart, P. D'A., Nicholls, G. A., Rees, R. J. W., and Stock, J. A.
ROBINS, E. L.: *see* Holmes, R., and Robins, E. L.
ROBSON, J. M.: *see* Naguib, M., and Robson, J. M.
RODDIE, I. C., Shepherd, J. T., and Whelan, R. F.: Action of 5-hydroxytryptamine on the blood vessels of the human hand and forearm, 445
ROEDER, M.: *see* Humm, D. G., Roeder, M., Landew, M., and Clark, E. E.
ROGERS, W. P., Cymerman-Craig, J., and Warwick, G. P.: Chemical constitution and anthelmintic activity of cyclic analogues of phenothiazine, 340
ROLLO, I. M.: Mode of action of sulphonamides, proguanil and pyrimethamine on *Plasmodium gallinaceum*, 208
RUTLAND, J. P.: *see* Childs, A. F., Davies, D. R., Green, A. L., and Rutland, J. P.

S

SALMOIRAGHI, G.: *see* Burns, B. D., Frank, G. B., and Salmoiraghi, G.
SCHAUMANN, W.: Paralysing action of morphine on the guinea-pig ileum, 456
SCHNIEDEN, H., and Blackmore, E. K.: Effect of nalorphine on the antidiuretic action of morphine in rats and men, 45
SCHWARTZ, D. E.: *see* Grasset, E., and Schwartz, D. E.
SHEARD, P.: *see* Martin, L. E., Bates, C. M., Beresford, C. R., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D.
SHELLEY, H.: Correlation between cholinesterase inhibition and increase in muscle tone in rabbit duodenum, 26
SHEPHERD, J. T.: *see* Roddie, I. C., Shepherd, J. T., and Whelan, R. F.
SHERWOOD, S. L.: *see* Feldberg, W., and Sherwood, S. L.
SMITH, M. J. H.: Effects of sodium salicylate on blood glucose in the rat, 110
SÖMJÉN, G., and Uyldert, I. E.: Effect of compound 48/80 on mammalian skeletal muscle, 413
STANDEN, O. D.: *see* Raison, C. G., and Standen, O. D.
STEWART, G. M.: *see* Mackie, A., Stewart, G. M., Cutler, A. A., and Misra, A. L.
STOCK, J. A.: *see* Cornforth, J. W., Hart, P. D'A., Nicholls, G. A., Rees, R. J. W., and Stock, J. A.
STONER, H. B., Barnes, J. M., and Duff, J. I.: Studies on the toxicity of alkyl tin compounds, 16
STRÖMBLAD, B. C. R.: *see* Blaschko, H., Himms, J. M., and Strömblad, B. C. R.

T

TAYLOR, E. P.: *see* Collier, H. O. J., Potter, M. D., and Taylor, E. P.
THOMPSON, R. H. S., Tickner, A., and Webster, G. R.: Action of lysergic acid diethylamide on mammalian cholinesterases, 61
THURSTON, J. P.: *see* Hawking, F., and Thurston, J. P.

TICKNER, A.: *see* Thompson, R. H. S., Tickner, A., and Webster, G. R.
TOH, C. C., Lee, T. S., and Kiang, A. K.: Pharmacological actions of capsaicin and analogues, 175
TRENDELENBURG, U.: *see* Barlow, R. B., Blaschko, H., Himms, J. M., and Trendelenburg, U.
TWIGG, G. D.: *see* Martin, L. E., Bates, C. M., Beresford, C. R., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D.

U

UYLDERT, I. E.: *see* Sömjén, G., and Uyldert, I. E.

V

VARAGIĆ, V.: Action of eserine on the blood pressure of the rat, 349
VARAGIĆ, V. : *see* Foster, R., Ing, H. R., and Varagić, V.
VINCENT, P.: *see* Neal, R. A., and Vincent, P.
VOGT, M.: *see* Holzbauer, M., and Vogt, M.

W

WARD, N. B.: *see* Green, A. F., and Ward, N. B.
WARWICK, G. P.: *see* Rogers, W. P., Cymerman-Craig, J., and Warwick, G. P.
WEBSTER, G. R.: *see* Thompson, R. H. S., Tickner, A., and Webster, G. R.
WHELAN, R. F.: *see* Roddie, I. C., Shepherd, J. T., and Whelan, R. F.
WIEN, R.: *see* Mason, D. F. J., and Wien, R.
WILLEY, G. L.: Stimulant activities of quaternary ammonium compounds on mammalian skeletal muscle, 466

SUBJECT INDEX

A

Acetoxime, reactivation by, of organophosphate-inhibited cholinesterase, 462
Acetylcholine, antagonism of, by (+)- and (−)-hyoscyamine, 354
— assay of, using isolated heart of *Mya arenaria*, 36
— ganglion-stimulant activity and phase-boundary potential of, 220
— presence of, in Malayan Jack-fruit, 247
Adrenaline, action of, on excised human myometrium, 39
— inhibition of uterine contractions by, effect of various drugs on, 186
— stabilization mechanism in adrenal gland, 163
Alkyltin compounds, toxicity of, 16
Allobarbitone sodium, action of, on isolated muscle preparations, 133
Allyl iodide and isothiocyanate, *in vitro* anthelmintic activity of, 7
Amethocaine, action of, on epilepsy, in cats and monkeys, 288
— local anaesthetic activity of, 240.
Amidines, inhibition of amine oxidase and spermine oxidase by, 451
Amine oxidase, inhibition of, by amidines, 451
Amino-acids, and formaldehyde derivatives, *in ovo* antiviral activity of, 56
2-Amino-5-nitrothiazole, *in vitro* anthelmintic activity of, 7
Ω-Amino polymethylenetrimethylammonium compounds, biological activities and oxidation of, 116
p-Aminosalicylic acid, *in vitro* antithyroid activity determination and mode of action of, 1
Anaesthetics, local, action of, on epilepsy, in cats and monkeys, 288
— — comparison of testing methods in man, 240
Analgesics, action of, on cough reflex, 418
Antazoline hydrochloride, action of, on bronchial musculature, 230
Antergan hydrochloride, action of, on bronchial musculature, 230
Anthelmintic activity and chemical structure relations in phenothiazine analogues, 340
Anthelmintics, *in vitro* testing of, 7
Anthisan: *see* Mepyramine maleate
Anti-anaphylactic drugs, evaluation of, 160
Anti-cholera drugs, evaluation of, 153
Anticholinesterases, action of, on isolated rabbit duodenum, 26
— — — on rat blood pressure, 12
— neuromuscular block due to, reversal by oximes, 490
Anticonvulsants, local anaesthetics as, 288
Antifungal activities of polymethylene-bisquinolinium and -bisisoquinolinium salts, 343
Antihistaminics, action of, on bronchial musculature, 230
— activity–structure relations in, 270
Antimalarial drugs, mode of action of, 208
Antistin: *see* Antazoline hydrochloride
Antithyroid drugs, *in vitro* potency determination and mode of action of, 1
Antitubercular agents, sulphones and sulphoxides as, in guinea-pigs, 113
— — surface-active polyoxyethylene ethers as, 73
Antrycide: *see* Quinapyramine
Artemisia maritima, essential oil from, *in vitro* anthelmintic activity of, 7
Artocarpus integra, presence of acetylcholine in, 247
Ascaris lumbricoides, *in vitro* tests of compounds on, 7
Ascorbic acid, anti-anaphylactic action of, 160
Assays, multiple slope-ratio, nomograms for, 296
Aureomycin, vibriocidal activity of, 153

B

BDHB: *see* Butyl 4-hydroxy-3: 5-di-iodobenzoate
Bacillary infections, treatment of, with quinoxaline 1: 4-di-*N*-oxide, in mice, 394
Banthine: *see* Methantheline bromide
Barbitone sodium, action of, on isolated muscle preparations, 133
Barbiturates, action of, on isolated muscle preparations, 133
Barium chloride, anti-anaphylactic action of, 160
Benadryl: *see* Diphenhydramine hydrochloride
Benzamine, enzymic hydrolysis of, 442
Benzhexol, optical isomers of, pharmacological properties of, 383
Benzhydroxamic acid, reactivation by, of organophosphate-inhibited cholinesterase, 462
Benzilic acid esters, derivatives of, spasmolytic activities of, 95

Benzoylcholine, ganglion-stimulant activity and phase-boundary potential of, 220
5-Benzyloxygramine, effect of, on response of rat uterus to adrenaline and isoprenaline, 186
1 : 4-Bis(benzo-1 : 4-dioxan-2-ylmethyl)piperazine, effect of, on response of rat uterus to adrenaline, 186
Blood circulation, action of succinylcholine chloride on, 265
— — peripheral, action on, of 5-hydroxytryptamine, 445
— glucose, action of sodium salicylate on, in rats, 110
α-Bromo-*p*-nitrocinnamaldehyde, vibriocidal activity of, 153
Bulbocapnine, intraventricular, catatonia production by, in cats, 371
Buscopan: *see* *N*-Butylhyoscine bromide
Butacaine, local anaesthetic activity of, 240
Butazolidin: *see* Phenylbutazone
Butethamine, action of, on epilepsy, in cats and monkeys, 288
Butobarbitone sodium, action of, on isolated muscle preparations, 133
Butyl 4-hydroxy-3 : 5-di-iodobenzoate, *in vitro* antithyroid activity determination and mode of action of, 1
Butylamines, substituted, histamine release by, 254
N-Butylhyoscine bromide, anti-anaphylactic action of, 160
Butyrylcholine, stimulant activity of, on skeletal muscle, 466
*iso*Butyrylcholine, ganglion-stimulant activity and phase-boundary potential of, 220
— stimulant activity of, on skeletal muscle, 466

C

Caffeine, anti-anaphylactic action of, 160
Capillary permeability, effect on, of polyvidone, in dogs, 223
Capsaicin, and analogues, pharmacological actions of, 175
Carbachol, ganglion-stimulant activity and phase-boundary potential of, 220
Carbimazole, *in vitro* antithyroid activity determination and mode of action of, 1
Carbon tetrabromide, *in vitro* anthelmintic activity of, 7
— tetrachloride, *in vitro* anthelmintic activity of, 7
Carbromal, action of, on isolated muscle preparations, 133
Catatonia, production of, by bulbocapnine, in cats, 371
Chloral hydrate, action of, on isolated muscle preparations, 133
— — anti-anaphylactic action of, 160
Chloralose, action of, on isolated muscle preparations, 133
Chloramphenicol, vibriocidal activity of, 153
Chlorbutol, action of, on isolated muscle preparations, 133
Chlorcyclizine hydrochloride, action of, on bronchial musculature, 230
— — — — on response of rat uterus to adrenaline, 186
o-Chlorobenzaldoxime, reactivation by, of organophosphate-inhibited cholinesterase, 462
2′-Chloroethylethylfluoren-9-ylamine hydrochloride, effect of, on response of rat uterus to adrenaline, 186
Chloropyrilene citrate, action of, on bronchial musculature, 230
Chlorothen: *see* Chloropyrilene citrate
Chlorpromazine, action of, on adrenocortical activity in stress, 336
Chlorpromazine, action of, on response of rat uterus to adrenaline, 186
— anti-anaphylactic action of, 160
— side effects of, 429
Chlorprophenpyridamine maleate, action of, on bronchial musculature, 230
— — — — on response of rat uterus to adrenaline, 186
Chlortetracycline: *see* Aureomycin
Chlortrimeton: *see* Chlorprophenpyridamine maleate
Cholera, experimental, production in infant rabbits, 153
Choline esters and ethers, ganglion-stimulant activities and phase-boundary potentials of, 220
— — — — stimulant activity of, on skeletal muscle, 466
Cholinesterases, inhibition of, correlation between muscle tone and, in rabbit duodenum, 26
— mammalian, action of lysergic acid diethylamide on, 61
— organophosphate-inhibited, reactivation of, by nicotinhydroxamic acid methiodide, 356
— — — — — — by oximes and hydroxamic acids, 462
Cinchocaine, local anaesthetic activity of, 240
Cocaine, enzymic hydrolysis of, 442
— local anaesthetic activity of, 240
α-Cocaine, enzymic hydrolysis of, 442
— local anaesthetic and other effects of, 436
Codeine, action of, on cough reflex, 418
Compound 48/80, action of, on ganglionic transmission, 103
— — — — on mammalian skeletal muscle, 413
Conessine hydrochloride, *in vitro* anthelmintic activity of, 7
Cortisone, with and without isoniazid, action of, in corneal tuberculosis, in mice, 387
Cough reflex, effect on, of analgesics and nalorphine, 418
Cyanocobalamin, anti-anaphylactic action of, 160

D

Dextran, histamine release by, in rabbit blood, 87
Dextran sulphate, *in vitro* and *in vivo* anticoagulant activity of, 317
— — histamine release by, in rabbit blood, 87
Diacetylmonoxime, reactivation by, of organophosphate-inhibited cholinesterase, 462
Diamidines, inhibition of amine oxidase and spermine oxidase by, 451
4 : 6-Diamino-1-*p*-chlorophenyl-1 : 2-dihydro-2 : 2-dimethyl-1 : 3 : 5-triazine, action of, on neuromuscular and synaptic transmission, 147
Di(aminophenoxy)alkanes, symmetrical, and their derivatives, schistosomicidal activities of, 191
Diatrin: *see* Methapheniline hydrochloride
Dibenamine hydrochloride, action of, on response of rat uterus to adrenaline, 186
Dibenzyline, anti-anaphylactic action of, 160
— action of, on response of rat uterus to adrenaline and isoprenaline, 186
Dibozane: *see* 1 : 4-Bis(benzo-1 : 4-dioxan-2-ylmethyl)-piperazine
2-Diethanolamino-5-nitropyridine, amoebicidal activity of, 434
Diethoxine: *see* Parethoxycaine
Diethyl *p*-nitrophenyl phosphate, action of, on rat blood pressure, 12
2-Diethylaminomethylbenzo-1 : 4-dioxan hydrochloride, action of, on response of rat uterus to adrenaline, 186
Diethylcarbamazine, ^{14}C-labelled, metabolism and excretion of, 397
— mode of action of, investigated with ^{14}C-labelled drug, 406

Diethyl-2-thymoxyethylamine hydrochloride, action of, on response of rat uterus to adrenaline, 186
Dihydroergotamine, action of, on excised human myometrium, 39
— — — on response of rat uterus to adrenaline and isoprenaline, 186
2 : 3-Dihydro-3-ketobenzo-1 : 4-thiazine, derivatives of, *in vitro* anthelmintic activities of, 7
5-Dimethylamino-3-ethyl-2-methylindole, action of, on response of rat uterus to adrenaline and isoprenaline, 186
Di*iso*nitrosoacetone, reactivation by, of organophosphate-inhibited cholinesterase, 462
— reversal by, of neuromuscular block due to anticholinesterases, 490
Di*iso*nitroso*cyclo*hexanone, reactivation by, of organophosphate-inhibited cholinesterase, 462
Di-Paralene: *see* Chlorcyclizine hydrochloride
Diphenhydramine hydrochloride, action of, on bronchial musculature, 230
Diphenylamine, and derivatives, *in vitro* anthelmintic activity of, 7
Di-*iso*propyl phosphorofluoridate: *see* Dyflos
Dyflos, action of, on isolated rabbit duodenum, 26
— — — on rat blood pressure, 12
— neuromuscular block due to, reversal by oximes, 490

E

E.600: *see* Diethyl *p*-nitrophenyl phosphate
Enheptin-T: *see* 2-Amino-5-nitrothiazole
Ephedrine hydrochloride, action of, on response of rat uterus to adrenaline, 186
Epilepsy, effect of local anaesthetics on, in cats and monkeys, 288
Ergot alkaloids, action of, on mammalian esterases, 61
Eserine: *see* Physostigmine
Esterases, mammalian, action of lysergic acid diethylamide and ergot alkaloids on, 61
Ethyl pyrophosphate, action of, on rat blood pressure, 12
— — neuromuscular block due to, reversal by oximes, 490
Ethylenediamine, derivatives of, enzymic oxidation of, 314
β-Eucaine: *see* Benzamine

F

Fasciola hepatica, *in vitro* tests of compounds on, 7
Formaldehyde sulphathiazole, vibriocidal activity of, 153
Formaldehyde–tyrosine derivative, mode of action of, against influenza A virus *in ovo*, 56
Formo-Cibazol: *see* Formaldehyde sulphathiazole
Formo-sulphathiazole: *see* Formaldehyde sulphathiazole
Furohydroxamic acid, reactivation by, of organophosphate-inhibited cholinesterase, 462

G

Gamma benzene hexachloride, *in vitro* anthelmintic activity of, 7
Ganglion-stimulant activity and phase-boundary potentials, 220
Glycyrrhetinic acid, action of, on salt and water metabolism, 305
Glyoxime, reactivation by, of organophosphate-inhibited cholinesterase, 462

H

Hearts, molluscan, for 5-hydroxytryptamine assay, 474
Heparin, anti-anaphylactic action of, 160
— *in vitro* and *in vivo* anticoagulant activity of, 317
Hexobarbitone sodium, action of, on isolated muscle preparations, 133
Histadyl: *see* Methapyrilene hydrochloride
Histamine, release of, and "stress" phenomenon, 51
— — — by dextran and dextran sulphate, in rabbit blood, 87
— — — by L 1935, compared with compound 48/80, 254
— — — by polymyxin B and E, 215
Histamine-induced itching and pain, 183
Histantin: *see* Chlorcyclizine hydrochloride
Hydroxamic acids, reactivation by, of organophosphate-inhibited cholinesterase, 462
5-Hydroxytryptamine, action of, on peripheral blood vessels, 445
— assay of, in admixture with histamine and acetylcholine, 326
— — — using molluscan hearts, 474
— cardiovascular and respiratory actions of, in cats, 66
(+)- and (−)-Hyoscyamine, antagonism of acetylcholine by, 354
Hypnotics, action of, on isolated muscle preparations, 133

I

Imferon, pharmacology of, 375
Influenza A virus, action of formaldehyde–tyrosine derivative against, *in ovo*, 56
Iodothiouracil, *in vitro* antithyroid activity determination and mode of action of, 1
Iproniazid, action of, on response of rat uterus to adrenaline, 186
Iron–dextran preparation, pharmacology of, 375
Isatin-β-oxime, reactivation by, of organophosphate-inhibited cholinesterase, 462
Isoniazid, *in vitro* antithyroid activity determination and mode of action of, 1

K

Khellin, anti-anaphylactic action of, 160

L

L 1935, histamine release by, compared with compound 48/80, 254
Largactil: *see* Chlorpromazine hydrochloride
Lidocaine: *see* Lignocaine
Lignocaine, action of, on epilepsy, in cats and monkeys, 288
— local anaesthetic activity of, 240
2 : 6-Lutidine, *in vitro* anthelmintic activity of, 7
Lysergic acid diethylamide, action of, on mammalian esterases, 61
— — — — — on response of rat uterus to adrenaline and isoprenaline, 186

M

Marsilid: *see* Iproniazid
Medmain: *see* 5-Dimethylamino-3-ethyl-2-methylindole
Mepyramine maleate, action of, on bronchial musculature, 230
Mercuric chloride, *in vitro* anthelmintic activity of, 7
Mercury, organic derivatives of, *in vitro* anthelmintic activity of, 7
Metabolism, salt and water, action of glycyrrhetinic acid on, 305

Methacholine, ganglion-stimulant activity and phase-boundary potential of, 220
Methadone, action of, on cough reflex, 418
— mechanism of pituitary–adrenal activation by, 260
Methantheline bromide, anti-anaphylactic action of, 160
Methapheniline hydrochloride, action of, on bronchial musculature, 230
Methapyrilene hydrochloride, action of, on bronchial musculature, 230
Methimazole, *in vitro* antithyroid activity determination and mode of action of, 1
Methonium compounds, development of tolerance and cross-tolerance to, in laboratory animals, 279
p-Methoxy*iso*nitrosoacetophenone, reactivation by, of organophosphate-inhibited cholinesterase, 462
Methylglyoxime, reactivation by, of organophosphate-inhibited cholinesterase, 462
Methylpentynol, action of, on isolated muscle preparations, 133
Monocaine: *see* Butethamine
Mono*iso*nitrosoacetone, reactivation by, of organophosphate-inhibited cholinesterase, 462
— reversal by, of neuromuscular block due to anti-cholinesterases, 490
Morphine, action of, on cough reflex, 418
— anti-anaphylactic action of, 160
— antidiuretic action of, effect of nalorphine on, in rats and men, 45
— mechanism of pituitary–adrenal activation by, 260
— paralysing action of, on guinea-pig ileum, 456
Muscle, bronchial, effect on, of antihistaminics, 230
— skeletal, effect on, of compound 48/80, 413
— — — — of hypnotics, 133
— — — — of quaternary ammonium compounds, 466
— — — — of thiopentone sodium, 141
— — mechanism of after-discharges caused by veratrine in, 363
Muscle tone, correlation between cholinesterase inhibition and, in rabbit duodenum, 26
Myometrium, excised human, effect of adrenaline, noradrenaline and dihydroergotamine on, 39

N

Nalorphine, action of, on antidiuretic action of morphine, in rats and men, 45
— — — on cough reflex and on antitussive action of morphine-like analgesics, 418
Narcotine, action of, on cough reflex, 418
Neo-Synephrine: *see* Phenylephrine
Neuromuscular transmission, effect of proguanil and its metabolite on, 147
Nicotine, ganglion-stimulant activity and phase-boundary potential of, 220
— stimulant activity of, on skeletal muscle, 466
Nicotinhydroxamic acid methiodide, action of, on organophosphate-inhibited cholinesterase, 356
— — — reactivation by, of organophosphate-inhibited cholinesterase, 462
o- and *p*-Nitrophenols, *in vitro* anthelmintic activities of, 7
*iso*Nitrosoacetophenone, reactivation by, of organophosphate-inhibited cholinesterase, 462
*iso*Nitrosoacetylacetone, reactivation by, of organophosphate-inhibited cholinesterase, 462
*iso*Nitrosoacetylfuran, reactivation by, of organophosphate-inhibited cholinesterase, 462
Nomograms for multiple slope-ratio assays, 296
Noradrenaline, action of, on excised human myometrium 39

O

Oximes, reactivation by, of organophosphate-inhibited cholinesterase, 462
— reversal by, of neuromuscular block due to anti-cholinesterases, 490
Oxytetracycline, vibriocidal activity of, 153
Oxytocic activity, assay of, effect of acidity changes on, isolated rat uterus in, 424

P

Paludrine: *see* Proguanil
Paraldehyde, action of, on isolated muscle preparations, 133
Parethoxycaine, action of, on epilepsy, in cats and monkeys, 288
Pentobarbitone sodium, action of, on isolated muscle preparations, 133
Perchlorate, *in vitro* antithyroid activity determination, 1
Pethidine, action of, on cough reflex, 418
— anti-anaphylactic action of, 160
Phenacetylcholine, ganglion-stimulant activity and phase-boundary potential of, 220
Phenergan: *see* Promethazine hydrochloride
Phenindamine tartrate, action of, on bronchial musculature, 230
— — — — on response of rat uterus to adrenaline, 186
Phenobarbitone, anti-anaphylactic action of, 160
Phenobarbitone sodium, action of, on isolated muscle preparations, 133
Phenothiazine, cyclic analogues of, anthelmintic activity and structure relations in, 340
— derivatives of, *in vitro* anthelmintic activities of, 7
Phenoxazine, anthelmintic activity of, 340
Phentolamine, action of, on response of rat uterus to adrenaline, 186
Phenylbutazone, anti-anaphylactic action of, 160
Phenylephrine, anti-anaphylactic action of, 160
Phenylglyoxime, reactivation by, of organophosphate-inhibited cholinesterase, 462
Pholcodine, action of, on cough reflex, 418
Physostigmine, action of, on isolated rabbit duodenum, **26**
— — — — rat blood pressure, 12, 349
— — — — response of rat uterus to adrenaline, 186
Picolines, *in vitro* anthelmintic activities of, 7
Picolinhydroxamic acid, reactivation by, of organophosphate-inhibited cholinesterase, 462
Piperidylamidone, action of, on cough reflex, 418
Piperoxane hydrochloride, action of, on response of rat uterus to adrenaline, 186
Pituitary-adrenal axis, mechanism of stimulation by morphine and methadone, 260
Plasmodium gallinaceum, mode of action of proguanil-pyrimethamine and sulphonamides on, 208
Polymethylenebis(2-acetoxy ethyl dimethyl ammonium) salts, pharmacological activity of, 168
Polymethylenebis[4-(4-alkyl)morpholinium] salts, ganglion-blocking activities of, 124
Polymethylenebis[1-(1-alkyl)piperidinium] salts, ganglion-blocking activities of, 124
Polymethylenebis[1-(1-alkyl)pyrrolidinium] salts, ganglion-blocking activities of, 124
Polymethylenebis(2-hydroxy ethyl dimethyl ammonium) salts, pharmacological activity of, 168
Polymethylenebisquinolinium salts, anticholinesterase activity of, 173
— — antifungal activities of, 343

Polymethylenebis*iso*quinolinium salts, antifungal activities of, 343
Polymyxin B and E, histamine release by, 215
Polyoxyethylene ethers, surface-active, antitubercular activities of, 73
Polyvidone, action of, on capillary permeability in dogs, 223
Polyvinylpyrrolidone: *see* Polyvidone
Priscol: *see* Tolazoline hydrochloride
Probanthine: *see* Propantheline bromide
Procaine, action of, on epilepsy, in cats and monkeys, 288
Procyclidine, optical isomers of, pharmacological properties of, 383
Proguanil, and its metabolite, action of, on neuromuscular and synaptic transmission, 147
— pyrimethamine and sulphonamides, cross-resistance, potentiation and antagonism in *Plasmodium gallinaceum*, 208
Promethazine hydrochloride, action of, on bronchial musculature, 230
Propantheline bromide, anti-anaphylactic action of, 160
Propionylcholine, ganglion-stimulant activity and phase-boundary potential of, 220
— stimulant activity of, on skeletal muscle, 466
2-Propoxyprocaine, local anaesthetic activity of, 240
*iso*Propyl methylphosphonofluoridate: *see* Sarin
Pumpkin seed extract, *in vitro* anthelmintic activity of, 7
Pyribenzamine: *see* Tripelennamine hydrochloride
Pyridine, *in vitro* anthelmintic activity of, 7
Pyridine-2-aldoxime methiodide, reversal by, of neuromuscular block due to anticholinesterases, 490
Pyridine-2-, -3- and -4-aldoxime methiodide, reactivation by, of organophosphate-inhibited cholinesterase, 462
Pyrimethamine, proguanil and sulphonamides, cross-resistance, potentiation and antagonism in *Plasmodium gallinaceum*, 208
Pyrimidine-2-hydroxamic acid, reactivation by, of organophosphate-inhibited cholinesterase, 462
Pyrogallaldoxime, reactivation by, of organophosphate-inhibited cholinesterase, 462

Q

Quaternary ammonium compounds, stimulant activities of, on skeletal muscle, 466
Quinapyramine, *in vitro* trypanocidal activity of, 454
Quinine hydrochloride, *in vitro* antithyroid activity determination, 1
Quinoline, *in vitro* anthelmintic activity of, 7
*iso*Quinoline, *in vitro* anthelmintic activity of, 7
Quinoxaline 1:4-di-*N*-oxide, treatment with, of bacillary infections, in mice, 394

R

Ravocaine: *see* 2-Propoxyprocaine
Resorcinol, *in vitro* antithyroid activity determination and mode of action of, 1
Rhodanine, derivatives of, *in vitro* anthelmintic activities of, 7
Rogitine: *see* Phentolamine

S

SKF 501: *see* 2′-Chloroethylethylfluoren-9-ylamine hydrochloride
SKF 688A: *see* Dibenzyline
Salicylaldoxime, reactivation by, of organophosphate-inhibited cholinesterase, 462
Salicylate, action of, on blood glucose, in rats, 110
— excretion of, 484
Salicylhydroxamic acid, reactivation by, of organophosphate-inhibited cholinesterase, 462
Salicylic acid, anti-anaphylactic action of, 160
Sarin, action of, on rat blood pressure, 12
— neuromuscular block due to, reversal by oximes, 490
Schistosomicidal activity of symmetrical di(aminophenoxy)alkanes and their derivatives, 191
Shock, anaphylactic, protection against, by various substances, 160
Sodium azide, *in vitro* anthelmintic activity of, 7
— cyanate, anti-anaphylactic action of, 160
— fluoride, action of, on response of rat uterus to adrenaline, 186
Spasmolytics, derivatives of benzilic and thiobenzilic acid esters as, 95
Spermine oxidase, inhibition of, by amidines, 451
Stress, adrenocortical activity in, effect of chlorpromazine on, 336
Stress phenomenon, and histamine release, 51
Succinylcholine chloride: *see* Suxamethonium chloride
Sulphaguanidine, vibriocidal activity of, 153
Sulphathiazole sodium, *in vitro* antithyroid activity determination and mode of action of, 1
Sulphonamides, proguanil and pyrimethamine, cross-resistance, potentiation and antagonism in *P.asmodium gallinaceum*, 208
Sulphones, antitubercular activity of, in guinea-pigs, 113
Sulphoxides, antitubercular activities of, in guinea-pigs, 113
Superfusion, as method for study of drug antagonism, 326
Suxamethonium chloride, action of, on blood circulation, 265
Synaptic transmission, effect of proguanil and its metabolite on, 147

T

TEPP: *see* Ethyl pyrophosphate
Terramycin: *see* Oxytetracycline
β-Tetra: *see* Tetrahydro-β-naphthylamine carbonate
Tetracaine: *see* Amethocaine
Tetrahydro-β-naphthylamine carbonate, action of, on response of rat uterus to adrenaline and isoprenaline, 186
Thephorin: *see* Phenindamine tartrate
Thiambutene, action of, on cough reflex, 418
Thiobenzilic acid esters, and related compounds, spasmolytic activities of, 95
Thiocyanate, *in vitro* antithyroid activity determination and mode of action of, 1
*pseudo*Thiohydantoin, *in vitro* anthelmintic activity of, 7
Thiopentone sodium, action of, on isolated muscle preparations, 133, 141
Thiouracil, *in vitro* antithyroid activity determination and mode of action of, 1
L-Thyroxine, *in vitro* antithyroid activity determination and mode of action of, 1
Tolazoline hydrochloride, action of, on response of rat uterus to adrenaline, 186
Tricyclamol, optical isomers of, pharmacological properties of, 383
Triethylenephosphoramide, metabolism of, in relation to antitumour activity, 321
Trimethylacetylcholine, ganglion-stimulant activity and phase-boundary potential of, 220
— stimulant activity of, on skeletal muscle, 466

Tri*iso*nitrosopropane, reactivation by, of organophosphate-inhibited cholinesterase, 462
— reversal by, of neuromuscular block due to anticholinesterases, 490
Tripelennamine hydrochloride, action of, on bronchial musculature, 230
Tuberculosis, corneal, effect on, of cortisone, with and without isoniazid, in mice, 387

U

Urethane, action of, on isolated muscle preparations, 133
Urine, human, plain-muscle-stimulating substance in, 200

V

Valerylcholine, stimulant activity of, on skeletal muscle, 466
N-Vanillylacetamide, pharmacological actions of, 175
Vanillylamine, pharmacological actions of, 175
N-Vanillyldecanamide, pharmacological actions of, 175
Veratramine, action of, on response of rat uterus to adrenaline, 186
Veratrine, mechanism of after-discharges due to, in skeletal muscle, 363
Veratrum alkaloids, action of, on response of rat uterus to adrenaline, 186

X

Xylocaine: *see* Lignocaine

Y

Yohimbine hydrochloride, action of, on response of rat uterus to adrenaline, 186

883 F: *see* 2-Diethylaminomethylbenzo-1 : 4-dioxan hydrochloride
929 F: *see* Diethyl-2-thymoxyethylamine hydrochloride
933 F: *see* Piperoxane hydrochloride

Printed in Great Britain by Fisher, Knight & Co., Ltd., Gainsborough Press, St. Albans, Herts